CLINICAL PHARMACOLOGY and THERAPEUTICS

Editor

Walter Modell, M.D.

Editorial Board

Arthur J. Atkinson, Jr., M.D.
Frank M. Berger, M.D., D.Sc.
Karl H. Beyer, Jr., M.D., Ph.D.
Hylan A. Bickerman, M.D.
Edward A. Carr, Jr., M.D.
Leighton E. Cluff, M.D.
Lord Cohen of Birkenhead, M.D., D.Sc., LL.D., F.R.C.P.
Jonathan O. Cole, M.D.
Allan H. Conney, Ph.D.
T. S. Danowski, M.D.
Arthur C. DeGraff, M.D.
Peter Dineen, M.D.
Edward F. Domino, M.D.
Henry W. Elliott, M.D., Ph.D.
Karl Engelman, M.D.
Alvan R. Feinstein, M.D.
Robert B. Forney, Ph.D.
Emil Frei III, M.D.
Franz Gross, M.D.
Arthur Hull Hayes, Jr., M.D.
Leo E. Hollister, M.D.
Raymond W. Houde, M.D.
Bartholomew P. Hsi, Ph.D.
Ernest Jawetz, M.D., Ph.D.
Arthur S. Keats, M.D.
Richard H. Kessler, M.D.
Joseph B. Kirsner, M.D., Ph.D.
Kenneth G. Kohlstaedt, M.D.
Louis Lasagna, M.D.
D. R. Laurence, M.D.
Gerhard Levy, Pharm.D.
T. A. Loomis, M.D., Ph.D.
Fletcher H. McDowell, M.D.
Tag E. Mansour, Ph.D.
Dean T. Mason, M.D.
R. K. Richards, M.D.
Jay Tepperman, M.D.
Leroy D. Vandam, M.D.
John G. Wagner, Ph.D.
Andrew Wilson, C.B.E., M.D.
Graham M. Wilson, M.D., F.R.C.P., F.R.C.P.E.

Volume 15, January-June, 1974

The C. V. Mosby Company, St. Louis

Volume 15
Copyright © 1974 by
The C. V. Mosby Company

All rights reserved

Printed in the United States of America

Index to volume 15

Author index

A

Albers, J. W. (*See* Potvin et al.), 229
Altschule, M. D., and Hegedus, Z. L. Orthohydroxyhippuric (salicyluric acid—its physiologic and clinical significance, 111
Amidon, G. L. (*See* Welling et al.), 344
Andreasen, P. B. (*See* Hvidberg et al.), 171
Angel, C. R. (*See* Gorodetzky et al.), 461
Archer, R. (*See* Lemberger et al.), 380
Aronow, W. S., Vangrow, J. S., Nelson, W. H., Pagano, J., Papageorge's, N. P., Khursheed, M., Harding, P. R., and Khemka, M. Halofenate, serum lipids, and exercise performance in coronary heart disease, 67

B

Barber, V. E. (*See* Gault et al.), 521
Barden, T. P. (*See* Bloomfield et al.), 565
Beach, D. J. (*See* Gorodetzky et al.), 461
Bergner, P.-E. E. (*See* Simpson et al.), 631
Bernhard, G. C. (*See* Multz et al.), 310
Bernstein, J G. (*See* Mendelson et al.), 571
Bicher, H. I., and Kuperminc, M. Platelet aggregation in hyperadhesive states, 604
Blechman, W. G. (*See* Multz et al.), 310
Blonsky, E. R., Ericsson, A. D., McKinney, A. S., Rix, A., Wang, R. I. H., and Rimm, A. A. Phase II multiclinic study of elantrine in parkinsonism, 46
Bloomfield, S. S., Barden, T. P., and Mitchell, J. Comparative efficacy of ibuprofen and aspirin in episiotomy pain, 565
Bochner, F. (*See* Hooper et al.), 276
Bonkowsky, H. L. (*See* Song et al.), 431
Borda, I. T. (*See* Mills et al.), 187
Borgå, O. (*See* Rane et al.), 39
Bowers, M. B. Amitriptyline in man: decreased formation of central 5-hydroxyindoleacetic acid, 167
Breckenridge A., Orme, M., Wesseling, H., Lewis, R. J., and Gibbons, R. Pharmacokinetics and pharmacodynamics of the enantiomers of warfarin in man, 424
—. (*See* Vajda et al.), 597
Brereton, H. D. (*See* Young et al.), 617
Bressler, R. (*See* Carter et al.), 22
Brock, J. T. (*See* Cereghino et al.), 406
Bross, I. D. J. Strategies of science in human affairs: how to assure the quality of scientific statements, 543
Brunk, S. F., Delle, M., and Wilson, W. R. Morphine metabolism in man: Effect of aspirin, 283

C

Calimlim, J. F., Wardell, W. M., Lasagna, L., Gillies, A. J., and Davis, H. T. Effect of naloxone on the analgesic activity of methadone in a 1:10 oral combination, 556
Cannellos, G. P. (*See* Young et al.), 617
Carruthers, S. G., Kelly, J. G., McDevitt, D. G., and Shanks, R. G. Blood levels of practolol after oral and parenteral administration and their relationship to exercise heart rate, 497
Carter, D. E., Goldman, J. M., Bressler, R., Huxtable, R. J., Christian, C. D., and Heine, M. W., 22
Catlin, D. H. (*See* Gorodetzky et al.), 461
Cereghino, J. J., Brock, J. T., Van Meter, J. C., Penry, J. K., Smith, L. D., Fisher, P., and Ellenberg, J. Evaluation of albutoin as an antiepileptic drug, 406
Chabner, B. A. (*See* Young et al.), 617
Chaplin, M. (*See* Runkel et al.), 261
—. (*See* Segre et al.), 374
Christian, C. D. (*See* Carter et al.), 22
Christopher, T. G. (*See* Cutler et al.), 588
Clark, M. L. (*See* Czerwinski et al .), 436
—. (*See* Whitsett et al.), 51
Clark, T. J. H. (*See* Martin et al.), 267

January, pp. 1-110; February, pp. 111-228; March, pp. 229-336; April, pp. 337-442; May, pp. 443-542; June, pp. 543-658.

Clarke, J. T., Libke, R. D., Regamey, C., and Kirby, W. M. M. Comparative pharmacokinetics of amikacin and kanamycin, 610

Cochrane, G. M. (*See* Martin et al.), 267

Coletta, C. G. (*See* Smith et al.), 118

Conney, A H., (*See* Pantuck et al.), 9

Cooper, T. B. (*See* Simpson et al.), 631

Cornfield, J. Baseline differences and the randomized clinical trial, 225 (Correspondence)

Craig, W. A. (*See* Welling et al.), 344

Cutler, R. E., Forrey, A. W., Christopher, T. G., and Kimpel, B. M. Pharmacokinetics of furosemide in normal subjects and functionally anephric patients, 588

—. (*See* Kelly et al.), 178

Czerwinski, A. W., Clark, M. L., Serafetinides, E. A., Perrier, C., and Huber, W. Safety and efficacy of zinc sulfate in geriatric patients, 436

—. (*See* Whitsett et al.), 51

D

Dasberg, H. H., van der Klejn, E., Guelen, P. J. R., and van Praag, H. M. (*See* Dasberg et al.), 473

Davidson, S. (*See* Vajda et al.), 597

Davies, D. L., Lant, A. F., Millard, N. R., Smith, A. J., Ward, J. W., and Wilson, G. M. Renal action, therapeutic use, and pharmacokinetics of the diuretic bumetanide, 141

Davis, H. T. (*See* Calimlim et al.), 556

Delle, M. (*See* Brunk et al.), 283

DeVita, V. T. (*See* Young et al.), 617

Dollery, C. T., Williams, F. M., Draffan, G. H., Wise, G., Sahyoun, H., Paterson, J. W., and Walker, S. R. Arterial blood levels of fluorocarbons in asthmatic patients following use of pressurized aerosols, 59

Domino, E. F., Rennick, P., and Pearl, J. H. Dose-effect relations of marijuana smoking on various physiological parameters in experienced male users, 514

Draffan, G. H. (*See* Dollery et al.), 59

Duhme, D. W. (*See* Greenblatt et al.), 510

E

Eadie, M. J. (*See* Hooper et al.), 276

Eldridge, C. (*See* Mills et al.), 187

Eliasson, G. (*See* Sotaniemi et al.), 417

Ellenberg, J. (*See* Cereghino et al.), 406

Ellis, E. F. (*See* Koysooko et al.), 454

Ericsson, A. D. (*See* Blonsky et al.), 46

Esler, M. D. Effect of practolol on blood pressure and renin release in man, 484

Evans, M. A., Martz, R., Rodda, B. E., Kiplinger, G. F., and Forney, R. B. Quantitative relationship between blood alcohol concentration and psychomotor performance, 253

F

Falconer, M. A. (*See* Vajda et al.), 597

Feinstein, A. R. Baseline differences and the randomized clinical trial, 225 (Correspondence)

—. Clinical biostatistics

XXV. A survey of the statistical procedures in general medical journals, 97

XXVI. Medical ethics and the architecture of clinical research, 316

XXVII. The derangements of the 'range of normal', 528

Finland, Maxwell. Twenty-fifth anniversary of the discovery of Aureomycin: the place of the tetracyclines in antimicrobial therapy, 3

Fisher, P. (*See* Cereghino et al.), 406

Forchielli, E. (*See* Runkel et al.), 261

—. (*See* Segre et al.), 374

Forney, R. B. (*See* Evans et al.), 253

Forrey, A. W. (*See* Cutler et al.), 588

—. (*See* Kelly et al.), 178

Fraser, H. F. (*See* Martin et al.), 623

G

Garle, M. (*See* Rane et al.), 39

Gault, M. H., Shahidi, N. T., and Barber, V. E. Methemoglobin formation in analgesic nephropathy, 521

Gibbons, R. (*See* Breckenridge et al.), 424

Gillies, A. J. (*See* Calimlim et al.), 556

Goldman, J. M. (*See* Carter et al.), 22

Goldstein, B. (*See* Greenberg et al.), 337

Gorodetzky, C. W., Angel, C. R., Beach, D. J., Catlin, D. H., and Yeh, S.-Y. Validity of screening methods for drugs of abuse in biological fluids. I. Heroin in urine, 461

— and Kullberg, M. P. Validity of screening methods for drugs of abuse in biological fluids. II. Heroin in plasma and saliva, 579

Greenberg, S., Goldstein, B., and Wilson, W. R. Effects of plasma from hypertensive patients on the responses to angiotensin and norepinephrine in dogs and rats, 337

GREENBLATT, D. J., DUHME, D. W., KOCH-WESER, J., AND SMITH, T. W. Intravenous digoxin as a bioavailability standard: slow infusion and rapid injection, 510
GUELEN, P. J. R. (*See* Dasberg et al.), 473

H

HÄKKINEN, S. (*See* Linnoila and Häkkinen), 368
HANSEN, T. (*See* Lindquist et al.), 247
HARDING, P. R. (*See* Aronow et al.), 67
HÄRTEL, G., LOUHIJA, A., AND KONTTINEN, A. Disopyramide in the prevention of recurrence of atrial fibrillation after electroconversion, 551
HARTH, M. Serum gold levels during chrysotherapy with relation to urinary and fecal excretion, 354
HEGEDUS, Z. L. (*See* Altschule and Hegedus), 111
HEINE, M. W. (*See* Carter et al.), 22
HENDERSON, W. G. (*See* Potvin et al.), 229
HOLLISTER, L. E. Interactions in man of delta-9-tetrahydrocannabinol. I. Alphamethylparatyrosine, 18
HOOPER, W. D., BOCHNER, F., EADIE, M. J., AND TYRER, J. H. Plasma protein binding of diphenylhydantoin, 276
HOYT, H. J. (*See* Whitsett et al.), 51
HSIAO, K.-C. (*See* Pantuck et al.), 9
HUBER, W. (*See* Czerwinski et al.), 436
HUXTABLE, R. J. (*See* Carter et al.), 22
HVIDBERG, E. F., ANDREASEN, P. B., AND RANEK, L. Plasma half-life of phenylbutazone in patients with impaired liver function, 171

I

INTURRISI, C. E. (*See* Verebely and Inturrisi), 302

J

JASINSKI, D. R. (*See* Nutt and Jasinski), 156, 361
JENSEN, K. M. (*See* Lindquist et al.), 247
JOHANSSON, H. (*See* Lindquist et al.), 247

K

KELLY, J. G. (*See* Carruthers et al.), 497
KELLY, M. R., CUTLER, R. E., FORREY, A. W., AND KIMPEL, B. M. Pharmacokinetics of orally administered furosemide, 178
KHEMKA, M. (*See* Aronow et al.), 67
KHURSHEED, M. (*See* Aronow et al.), 67
KIMPEL, B. M. (*See* Cutler et al.), 588
—. (*See* Kelly et al.), 178
KIPLINGER, G. F. (*See* Evans et al.), 253
KIRBY, W. M. M. (*See* Clarke et al.), 610
KOCH-WESER, J. (*See* Greenblatt et al.), 510
KONTTINEN, A. (*See* Härtel et al.), 551
KOYSOOKO, R., ELLIS, E. F., AND LEVY, G. Relationship between theophylline concentration in plasma and saliva of man, 454
KUEHNLE, J. (*See* Mendelson et al.), 571
KULLBERG, M. P. (*See* Gorodetzky and Kullberg), 579
KUNIN, C. M. (*See* Welling et al.), 344
KUNTZMAN, R. (*See* Pantuck et al.), 9
KUPERMINC, M. (*See* Bicher and Kuperminc), 604

L

LANT, A. F. (*See* Davies et al.), 141
LARESE, R. J., AND MIRKIN, B. L. Kinetics of digoxin absorption and relation of serum levels to cardiac arrhythmias in children, 387
LASAGNA, L. (*See* Calimlim et al.), 556
LEE, J. H. (*See* Simpson et al.), 631
LEMBERGER, L., MCMAHON, R., ARCHER, R., MATSUMOTO, K., AND ROWE, H. Pharmacologic effects and physiologic disposition of delta^{6a,10a} dimethyl heptyl tetrahydrocannabinol (DMHP) in man, 380
LEVY, G. (*See* Koysooko et al.), 454
LEWIS, R. J. (*See* Breckenridge et al.), 424
LIBKE, R. D. (*See* Clarke et al.), 610
LINDQUIST, B., JENSEN, K. M., JOHANSSON, H., AND HANSEN, T. Effect of concurrent administration of aspirin and indomethacin on serum concentrations, 247
LINNOILA, M., AND HÄKKINEN, S. Effects of diazepam and codeine, alone and in combination with alcohol, on simulated driving, 368
LOUHIJA, A. (*See* Härtel et al.), 551

M

MAGGIO, A. (*See* Pantuck et al.), 9
MARATHE, V. V. (*See* Sheiner et al.), 239
MARTIN, L. E., TANNER, R. J. N., CLARK, T. J. H., AND COCHRANE, G. M. Absorption and metabolism of orally administered beclomethasone dipropionate, 267
MARTIN, W. R., THOMPSON, W. O., AND FRASER, H. F. Comparison of graded single intramuscular doses of morphine and pentobarbital in man, 623
MARTZ, R. (*See* Evans et al.), 253
MATSUMOTO, K. (*See* Lemberger et al.), 380
MCBRIDE, S. (*See* Smith et al.), 118
MCDEVITT, D. G. (*See* Carruthers et al.), 497
MCKINNEY, A. S. (*See* Blonsky et al.), 46
MCMAHON, R. (*See* Lemberger et al.), 380
MCPEEK, B. (*See* Smith et al.), 118
MEDZIHRADSKY, F. (*See* Sotaniemi et al.), 417

MENDELSON, J. H., ROSSI, A. M., BERNSTEIN, J. G., AND KUEHNLE, J. Propranolol and behavior of alcohol addicts after acute alcohol ingestion, 571

MILLARD, N. R. (*See* Davies et al.), 141

MILLS, D. G., BORDA, I. T., PHILP, R. B., AND ELDRIDGE, C. Effects of in vitro aspirin on blood platelets of gastrointestinal bleeders, 187

MIRKIN, B. L. (*See* Larese and Mirkin), 387

MITCHELL, J. (*See* Bloomfield et al.), 565

MODELL, WALTER. Coming of age, 1 (Editorial)

MOLNAR, G. W., AND READ, R. C. Propranolol enhancement of hypoglycemic sweating, 490

MULTZ, C. V., BERNHARD, G. C., BLECHMAN, W. C., ZANE, S., RESTIFO, R. A., AND VARADY, J. C. A comparison of intermediate-dose aspirin and placebo in rheumatoid arthritis, 310

N

NAKAMURA, K. (*See* Pantuck et al.), 9

NEEL, M. A. (*See* Evans et al.), 253

NELSON, W. H. (*See* Aronow et al.), 67

NUTT, J. G., AND JASINSKI, D. R. Diuretic action of the narcotic antagonist oxilorphan, 361

— and —. Methadone-naloxone mixtures for use in methadone maintenance programs. I. An evaluation in man of their pharmacological feasibility. II. Demonstration of acute physical dependence, 156

O

ORME, M. (*See* Breckenridge et al.), 424

P

PAGAND, J. (*See* Aronow et al.), 67

PANTUCK, E. J., HSIAO, K.-C., MAGGIO, A., NAKAMURA, K., KUNTZMAN, R., AND CONNEY, A. H. Effect of cigarette smoking on phenacetin metabolism, 9

PAPAGEORGE'S, N. P. (*See* Aronow et al.), 67

PATERSON, J. W. (*See* Dollery et al.), 59

PEARL, J. H. (*See* Domino et al.), 514

PECK, C. (*See* Sheiner et al.), 239

PENRY, J. K. (*See* Cereghino et al.), 406

PERRIER, C. (*See* Czerwinski et al.), 436

PEW, R. W. (*See* Potvin et al.), 229

PHILP, R. B. (*See* Mills et al.), 187

POTVIN, A. R., ALBERS, J. W., REPA, B. S., HENDERSON, W. G., WALKER, J. E., STRIBLEY, R. F., PEW, R. W., AND TOURTELLOTTE, W. W., 229

PUSCHETT, J. B., AND RASTEGAR, A. Comparative study of the effects of metolazone and other diuretics on potassium excretion, 397

R

RANE, A. N-oxidation of a tertiary amine (N,N-dimethylaniline) by human fetal liver microsomes, 32

—, GARLE, M., BORGÅ, O., AND SJÖQVIST, F. Plasma disappearance of transplacentally transferred diphenylhydantoin in the newborn studied by mass fragmentography, 39

RANEK, L. (*See* Hvidberg et al.), 171

RASTEGAR, A. (*See* Puschett and Rastegar), 397

RAY, G. (*See* Evans et al.), 253

READ, R. C. (*See* Molnar and Read), 490

REGAMEY, C. (*See* Clarke et al.), 610

REISS, M. (*See* Simpson et al.), 631

RENNICK, P. (*See* Domino et al.), 514

REPA, B. S. (*See* Potvin et al.), 229

RESTIFO, R. A. (*See* Multz et al.), 310

RIMM, A. A. (*See* Blonsky et al.), 46

RIX, A. (*See* Blonsky et al.), 46

RODDA, B. E. (*See* Evans et al.), 253

ROSENBERG, B. (*See* Sheiner et al.), 239

ROSSI, A. M. (*See* Mendelson et al.), 571

ROWE, H. (*See* Lemberger et al.), 380

RUNKEL, R., FORCHIELLI, E., SEVELIUS, H., CHAPLIN, M., AND SEGRE, E. Nonlinear plasma level response to high doses of naproxen, 261

—. (*See* Segre et al.), 374

S

SAHYOUN, H. (*See* Dollery et al.), 59

SAKMAR, E. (*See* Wagner et al.), 291

SCHEIN, P. S. (*See* Young et al.), 617

SEGRE, E. J., CHAPLIN, M., FORCHIELLI, E., RUNKEL, R., AND SEVELIUS, H. Naproxen-aspirin interactions in man, 374

—. (*See* Runkel et al.), 261

SERAFETINIDES, E. A. (*See* Czerwinski et al.), 436

SEVELIUS, H. (*See* Runkel et al.), 261

—. (*See* Segre et al.), 374

SHAHIDI, N. T. (*See* Gault et al.), 521

SHANKS, R. G. (*See* Carruthers et al.), 497

SHEINER, L. B., ROSENBERG, B., MARATHE, V. V., AND PECK, C. Differences in serum digoxin concentrations between outpatients and inpatients: an effect of compliance? 239

SIMPSON, G. M., VARGA, E., REISS, M., COOPER, T. B., BERGNER, P.-E. E., AND LEE, J. H. Bioequivalency of generic and brand-named chlorpromazine, 631

SJÖQVIST, F. (*See* Rane et al.), 39
SMITH, A. J. (*See* Davies et al.), 141
SMITH, G. M., COLETTA, C. G., MCBRIDE, S., AND MCPEEK, B. Use of subjective responses to evaluate efficacy of mild analgesic sedative combinations, 118
SMITH, L. D. (*See* Cereghino et al.), 406
SMITH, T. W. (*See* Greenblatt et al.), 510
SONG, C. S., BONKOWSKY, H. L., AND TSCHUDY, D. P. Salicylamide metabolism in acute intermittent porphyria, 431
SOTANIEMI, E. A., MEDZIHRADSKY, F., AND ELIASSON, G. Glucaric acid as an indicator of use of enzyme-inducing drugs, 417
STOLL, R. G. (*See* Wagner et al.), 291
STRIBLEY, R. F. (*See* Potvin et al.), 229

T

TANNER, R. J. N. (*See* Martin et al.), 267
TAVES, D. R. Minimization: a new method of assigning patients to treatment and control groups, 443
THOMPSON, W. O. (*See* Martin et al.), 623
TOURTELLOTTE, W. W. (*See* Potvin et al.), 229
TSCHUDY, D. P. (*See* Song et al.), 431
TYRER, J. H. (*See* Hooper et al.), 276

V

VAJDA, F., WILLIAMS, F. M., DAVIDSON, S., FALCONER, M. A., AND BRECKENRIDGE, A. Human brain, cerebrospinal fluid, and plasma concentrations of diphenylhydantoin and phenobarbital, 597
VAN DER KLEJN, E. (*See* Dasberg et al.), 473
VANGROW, J. S. (*See* Aronow et al.), 67
VAN METER, J. C. (*See* Cereghino et al.), 406
VAN PRAAG, H. M. (*See* Dasberg et al.), 473
VARADY, J. C. (*See* Multz et al.), 310
VARGA, E. (*See* Simpson et al.), 631
VEREBELY, K., AND INTURRISI, C. E. Disposition of propoxyphene and norpropoxyphene in man after a single oral dose, 302

W

WAGNER, J. G., YATES, J. D., WILLIS, P. W. III, SAKMAR, E., AND STOLL, R. G. Correlation of plasma levels of digoxin in cardiac patients with dose and measures of renal function, 291
WALKER, J. E. (*See* Potvin et al.), 229
WALKER, S. R. (*See* Dollery et al.), 59
WANG, R. I. H. (*See* Blonsky et al.), 46
WARD, J. W. (*See* Davies et al.), 141
WARDELL, W. M. Therapeutic implications of the drug lag, 73
—. (*See* Calimlim et al.), 556
WELLING, P. G., CRAIG, W. A., AMIDON, G. L., AND KUNIN, C. M. Pharmacokinetics of cefazolin in normal and uremic subjects, 344
WESSELING, H. (*See* Breckenridge et al.), 424
WHITSETT, T. L., HOYT, H. J., CZERWINSKI, A. W., AND CLARK, M. L. Effects of mebutamate on the electroencephalographic sleep profile, 51
WILLIAMS, F. M. (*See* Dollery et al.), 59
—. (*See* Vajda et al.), 597
WILLIS, P. W. III. (*See* Wagner et al.), 291
WILSON, G. M. (*See* Davies et al.), 141
WILSON, W. R. (*See* Brunk et al.), 283
—. (*See* Greenberg et al.), 337
WISE, G. (*See* Dollery et al.), 59
WOLFF, R. B. Evaluation of hypnotics in outpatients with insomnia using a questionnaire and a self-rating technique, 130
WRIGHT, F. E. (*See* Molnar and Read), 490

Y

YATES, J. D. (*See* Wagner et al.), 291
YEH, S.-Y. (*See* Gorodetzky et al.), 461
YOUNG, R. C., CANNELLOS, G. P., CHABNER, B. A., SCHEIN, P. S., BRERETON, H. D., AND DEVITA, V. T. Treatment of malignant melanoma with methyl CCNU, 617

Z

ZANE, S. (*See* Multz et al.), 310

Subject index

A

Absorption and metabolism of orally administered beclomethasone dipropionate (Martin et al.), 267

Aerosols, pressurized, arterial blood levels of fluorocarbons in asthmatic patients following use of (Dollery et al.), 59

Age, coming of (Modell), 1 (Editorial)

Aggregation, platelet, in hyperadhesive states (Bicher and Kuperminc), 604

Albutoin as an antiepileptic drug, evaluation of (Cereghino et al.), 406

Alcohol addicts after acute alcohol ingestion, propranolol and behavior of (Mendelson et al.), 571

concentration, blood and psychomotor performance, quantitative relationship between (Evans et al.), 253

diazepam and codeine alone and in combination with, effects of on simulated driving (Linnoila and Häkkinen), 368

Alphamethylparatyrosine, interactions in man of delta-9-tetrahydrocannabinol (Hollister), 18

American Society for Clinical Pharmacology and Therapeutics, abstracts of papers, 200

program for Seventy-fifth Annual Meeting, 193

Amikacin and kanamycin, comparative pharmacokinetics of (Clarke et al.), 610

Amine, tertiary (N,N-dimethylaniline), N-oxidation of, by human fetal liver microsomes (Rane), 32

Amitriptyline in man, decreased formation of central 5-hydroxyindoleacetic acid (Bowers), 167

Analgesic activity of methadone in 1:10 oral combination, effect of naloxone on (Calimlim et al.), 556

nephropathy, methemoglobin formation in (Gault et al.), 521

-sedative combinations, mild, use of subjective responses to evaluate efficacy of (Smith et al.), 118

Anephric patients, functionally, pharmacokinetics of furosemide in normal subjects and (Cutler et al.), 588

Angiotensin and norepinephrine in dogs and rats, effects of plasma from hypertensive patients on responses to (Greenberg et al.), 337

Antiepileptic drug, evaluation of albutoin as (Cereghino et al.), 406

Antimicrobial therapy, twenty-fifth anniversary of discovery of Aureomycin, place of tetracyclines in (Finland), 3

Anxiolytic effect, plasma concentrations of diazepam and of its metabolite N-desmethyldiazepam in relation to (Dasberg et al.), 473

Arrhythmias, cardiac, in children, kinetics of digoxin absorption and relation of serum levels to (Larese and Mirkin), 387

Arterial blood levels of fluorocarbons in asthmatic patients following use of pressurized aerosols (Dollery et al.), 59

Arthritis, rheumatoid, comparison of intermediate-dose aspirin and placebo in (Multz et al.), 310

Aspirin, effect of, morphine metabolism in man (Brunk et al.), 283

and ibuprofen, comparative efficacy of, in episiotomy pain (Bloomfield et al.), 565

and indomethacin, effect of concurrent administration of, on serum concentrations (Lindquist et al.), 247

-naproxen interactions in man (Segre et al.), 374

and placebo, comparison of intermediate-dose, in rheumatoid arthritis (Multz et al.), 310

in vitro, effects of, on blood platelets of gastrointestinal bleeders (Mills et al.), 187

Asthmatic patients, arterial blood levels of fluorocarbons in, following use of pressurized aerosols (Dollery et al.), 59

Atrial fibrillation after electroconversion, disopyramide in prevention of recurrence of (Härtel et al.), 551

January, pp. 1-110; February, pp. 111-228; March, pp. 229-336; April, pp. 337-442; May, pp. 443-542; June, pp. 543-658.

Aureomycin, twenty-fifth anniversary of discovery of, place of tetracyclines in antimicrobial therapy (Finland), 3

B

Beclomethasone dipropionate, orally administered, absorption and metabolism of (Martin et al.), 267

Bioavailability standard, intravenous digoxin as; slow infusion and rapid injection, (Greenblatt et al.), 510

Bioequivalency of generic and brand-named chlorpromazine (Simpson et al.), 631

Biologic(al) fluids, validity of screening methods for drugs of abuse in, heroin in plasma and saliva (Gorodetzky et al.), 579

heroin in urine (Gorodetzky et al.), 461

Biostatistics, clinical. (See Clinical biostatistics)

Blood alcohol concentration and psychomotor performance, quantitative relationship between (Evans et al.), 253

levels, arterial, of fluorocarbons in asthmatic patients following use of pressurized aerosols (Dollery et al.), 59

of practolol after oral and parenteral administration and their relationship to exercise heart rate (Carruthers et al.), 497

pressure and renin release in man, effect of practolol on (Esler), 484

Book(s) received, 110, 336, 643

reviews, 108, 227, 335, 442, 541, 642

Brain, human, cerebrospinal fluid, and plasma concentrations of diphenylhydantoin and phenobarbital (Vajda et al.), 597

Bumetanide, renal action, therapeutic use, and pharmacokinetics of diuretic (Davies et al.), 141

C

Cannabinol, delta$^{6a,\ 10a}$ dimethyl heptyl tetrahydro (DMHP), pharmacologic effects and physiologic disposition of, in man (Lemberger et al.), 380

delta-9-tetrahydro, interactions in man of, alphamethylparatyrosine (Hollister), 18

Cardiac arrhythmias in children, kinetics of digoxin absorption and relation of serum levels to (Larese and Mirkin), 387

patients, correlation of plasma levels of digoxin in, with dose and measures of renal function (Wagner et al.), 291

Cardiovascular effects of delta$^{6a,\ 10a}$ dimethyl heptyl tetrahydrocannabinol in man (Lemberger et al.), 380

Cefazolin, pharmacokinetics of, in normal and uremic subjects (Welling et al.), 344

Cerebrospinal fluid, human brain, and plasma concentrations of diphenylhydantoin and phenobarbital (Vajda et al.), 597

Chlorpromazine, bioequivalency of generic and brand-named (Simpson et al.), 631

Chrysotherapy, serum gold levels during, with relation to urinary and fecal excretion (Harth), 354

Cigarette smoking, effect of, on phenacetin metabolism (Pantuck et al.), 9

Clinical biostatistics (Feinstein)

XXV. A survey of the statistical procedures in general medical journals, 97

XXVI. Medical ethics and the architecture of clinical research (Feinstein), 316

XXVII. Derangements of the range of normal', 528

Codeine and diazepam, alone and in combination with alcohol, effects of, on simulated driving (Linnoila and Häkkinen), 368

Contraceptives, oral, effect of, on drug metabolism (Carter et al.), 22

Coronary heart disease, halofenate, serum lipids, and exercise performance in (Aronow et al.), 67

Correspondence, 225

D

Delta$^{6a,\ 10a}$ dimethyl heptyl tetrahydrocannabinol (DMHP) in man, pharmacologic effects and physiologic disposition of (Lemberger et al.), 380

Delta-9-tetrahydrocannabinol, interactions in man of; alphamethylparatyrosine (Hollister), 18

Diazepam and codeine, effects of, alone and in combination with alcohol, on simulated driving (Linnoila and Häkkinen), 368

plasma concentrations of, and of its metabolite N-desmethyldiazepam in relation to anxiolytic effect (Dasberg et al.), 473

Digoxin absorption and relation of serum levels to cardiac arrhythmias in children, kinetics of (Larese and Mirkin), 387

in cardiac patients, correlation of plasma levels of, with dose and measures of renal function (Wagner et al.), 291

Digoxin—Cont'd
concentrations, serum, differences in, between outpatients and inpatients, effect of compliance (Sheiner et al.), 239
correlation of plasma levels of, in cardiac patients with dose and measures of renal function (Wagner et al.), 291
intravenous, as bioavailability standard; slow infusion and rapid injection (Greenblatt et al.), 510
Diphenylhydantoin and phenobarbital, plasma concentrations of, human brain, cerebrospinal fluid, and (Vajda et al.), 597
plasma disappearance of transplacentally transferred, in newborn studied by mass fragmentography (Rane et al.), 39
protein binding of (Hooper et al.), 276
Disopyramide in prevention of recurrence of atrial fibrillation after electroconversion (Härtel et al.), 551
Diuretic(s) action of narcotic antagonist oxilorphan (Nutt and Jasinski), 361
bumetanide, renal action, therapetic use, and pharmacokinetics of (Davies et al.), 141
comparative study of effects of metolazone and other, on potassium excretion (Puschett and Rastegar), 397
Dogs and rats, effects of plasma from hypertensive patients on responses to angiotensin and norepinephrine in (Greenberg et al.), 337
Dose-effect relations of marijuana smoking on various physiological parameters in experienced male users (Domino et al.), 514
Driving, simulated, effects of diazepam and codeine, alone and in combination with alcohol, on (Linnoila and Häkkinen), 368
Drug(s) of abuse in biological fluids, validity of screening methods for (Gorodetzky et al.), 461
validity of screening methods for, in biological fluids, heroin in plasma and saliva (Gorodetzky and Kullberg), 579
lag, therapeutic implications of (Wardell), 73
metabolism, effect of oral contraceptives on (Carter et al.), 22

E

Elantrine in parkinsonism, phase II multiclinic study of (Blonsky et al.), 46
Electroconversion, disopyramide in prevention of recurrence of atrial fibrillation after (Härtel et al.), 551
Electroencephalographic sleep profile, effects of mebutamate on (Whitsett et al.), 51
Epileptic seizures, controlled, problems in evaluating drugs in treatment of (Cereghino et al.), 406
Episiotomy pain, comparative efficacy of ibuprofen and aspirin in (Bloomfield et al.), 565
Exercise heart rate, blood levels of practolol after oral and parenteral administration and relationship to (Carruthers et al.), 497
performance, halofenate, and serum lipids in coronary heart disease (Aronow et al.), 67

F

Fecal excretion, urinary and, serum gold levels during chrysotherapy with relation to (Harth), 354
Fetal liver microsomes, human, N-oxidation of tertiary amine (N,N-dimethylaniline) by (Rane), 32
Fluids, biological, validity of screening methods for drugs of abuse in, heroin in plasma and saliva (Gorodetzky and Kullberg), 579
Fluorocarbons, arterial blood levels of, in asthmatic patients following use of pressurized aerosols (Dollery et al.), 59
Fragmentography, mass, plasma disappearance of transplacentally transferred diphenylhydantoin in newborn studied by (Rane et al.), 39
Furosemide, orally administered, pharmacokinetics of (Kelly et al.), 178
pharmacokinetics of, in normal subjects and functionally anephric patients (Cutler et al), 588
orally administered (Kelly et al.), 178

G

Gastrointestinal bleeders, effects of in vitro aspirin on blood platelets of (Mills et al.), 187
Geriatric patients, safety and efficacy of zinc sulfate in (Czerwinski et al.), 436
Glucaric acid as indicator of use of enzyme-inducing drugs (Sotaniemi et al.), 417
Gold levels, serum, during chrysotherapy with relation to urinary and fecal excretion (Harth), 354

H

Halofenate, serum lipids, and exercise performance in coronary heart disease (Aronow et al.), 67

Heart disease, coronary, halofenate, serum lipids, and exercise performance in (Aronow et al.), 67

rate, exercise, blood levels of practolol after oral and parenteral administration and relationship to (Carruthers et al.), 497

Heroin in plasma and saliva, validity of screening methods for drugs of abuse in biological fluids (Gorodetzky and Kullberg), 579

urine, validity of screening methods for drugs of abuse in biological fluids (Gorodetzky et al.), 461

Human affairs, strategies of science in, how to assure quality of scientific statements (Bross), 543

5-Hydroxyindoleacetic acid, central, amitriptyline in man, decreased formation of (Bowers), 167

Hyperadhesive states, platelet aggregation in (Bicher and Kuperminc), 604

Hypertensive patients, effects of plasma from, on responses to angiotensin and norepinephrine in dogs and rats (Greenberg et al.), 337

Hypnotics, evaluation of, in outpatients with insomnia using questionnaire and self-rating technique (Wolff), 130

Hypoglycemic sweating, propranolol enhancement of (Molnar and Read), 490

I

Ibuprofen and aspirin, comparative efficacy of, in episiotomy pain (Bloomfield et al.), 565

Indomethacin and aspirin, effect of concurrent administration of, on serum concentrations (Lindquist et al.), 247

Insomnia, evaluation of hypnotics in outpatients with, using questionnaire and self-rating technique (Wolff), 130

K

Kanamycin and amikacin, comparative pharmacokinetics of (Clarke et al.), 610

Kinetics of digoxin absorption and relation of serum levels to cardiac arrhythmias in children (Larese and Mirkin), 387

L

Lipids, serum, halofenate, and exercise performance in coronary heart disease (Aronow et al.), 67

Liver function, impaired, plasma half-life of phenylbutazone in patients with (Hvidberg et al.), 171

microsomes, human fetal, N-oxidation of tertiary amine (N,N-dimethylaniline) by (Rane), 32

M

Marijuana smoking, dose-effect relations of, on various physiological parameters in experienced male users (Domino et al.), 514

Mebutamate, effects of, on electroencephalographic sleep profile (Whitsett et al.), 51

Melanoma, malignant, treatment of, with methyl CCNU (Young et al.), 617

Metabolism, absorption and, of orally administered beclomethasone dipropionate (Martin et al.), 267

drug, effect of oral contraceptives on (Carter et al.), 22

morphine, in man; effect of aspirin (Brunk et al.), 283

phenacetin, effect of cigarette smoking on (Pantuck et al.), 9

Metabolite N-desmethyldiazepam in relation to anxiolytic effect, plasma concentrations of diazepam and (Dasberg et al.), 473

Methadone, effect of naloxone on analgesic activity of, in 1:10 oral combination (Calimlim et al.), 556

-naloxone mixtures for use in methadone maintenance programs, evaluation in man of their pharmacological feasibility; demonstration of acute physical dependence (Nutt and Jasinski), 156

Methemoglobin formation in analgesic nephropathy (Gault et al.), 521

Methyl CCNU, treatment of malignant melanoma with (Young et al.), 617

Metolazone and other diuretics, comparative study of effects of, on potassium excretion (Puschett and Rastegar), 397

Microsomes, human fetal liver, n-oxidation of a tertiary amine (N,N-dimethylaniline by (Rane), 32

Minimization, new method of assigning patients to treatment and control groups (Taves), 443

Morphine metabolism in man, effect of aspirin (Brunk et al.), 283
and pentobarbital in man, comparison of graded single intramuscular doses of (Martin et al.), 623

N

Naloxone, effect of, on analgesic activity of methadone in 1:10 oral combination (Calimlim et al.), 556
-methadone mixtures for use in methadone maintenance programs (Nutt and Jasinski), 156
Naproxen, nonlinear plasma level response to high doses of (Runkel et al.), 261
Naproxen-aspirin interactions in man (Segre et al.), 374
N-desmethyldiazepam in relation to anxiolytic effect, plasma concentrations of diazepam and of its metabolite (Dasberg et al.), 473
Nephropathy, analgesic, methemoglobin formation in (Gault et al.), 521
Neuropharmacological trials, quantitative evaluation of (Potvin et al.), 229
Newborn studied by mass fragmentography, plasma disappearance of transplacentally transferred diphenylhydantoin in (Rane et al.), 39
Norepinephrine and angiotensin in dogs and rats, effects of plasma from hypertensive patients on responses to (Greenberg et al.), 337
Norpropoxyphene and propoxyphene, disposition of, in man after single oral dose (Verebely and Inturrisi), 302
N-oxidation of tertiary amine (N,N-dimethylaniline) by human fetal liver microsomes (Rane), 32

O

Oral contraceptives, effect of, on drug metabolism (Carter et al.), 22
Orthohydroxyhippuric (salicyluric) acid, its physiologic and clinical significance (Altschule and Hegedus), 111
Oxilorphan, narcotic antagonist, diuretic action of (Nutt and Jasinski), 361

P

Parkinsonism, phase II multiclinic study of elantrine in (Blonsky et al.), 46
Pentobarbital and morphine in man, comparison of graded single intramuscular doses of (Martin et al.), 623
Pharmacodynamics, pharmacokinetics and, of enantiomers of warfarin in man (Breckenridge et al.), 424
Pharmacokinetics of cefazolin in normal and uremic subjects (Welling et al.), 344
comparative, of amikacin and kanamycin (Clarke et al.), 610
of diuretic bumetanide, renal action, therapeutic use, and (Davies et al.), 141
of furosemide in normal subjects and functionally anephric patients (Cutler et al.), 588
of orally administered furosemide (Kelly et al.), 178
and pharmacodynamics of enantiomers of warfarin in man (Brenkenridge et al.), 424
Phenacetin metabolism, effect of cigarette smoking on (Pantuck et al.), 9
Phenobarbital and diphenylhydantoin, human brain, cerebrospinal fluid, and plasma concentrations of (Vajda et al.), 597
Phenylbutazone, plasma half-life of, in patients with impaired liver function (Hvidberg et al.), 171
Placebo and aspirin, comparison of intermediate-dose, in rheumatoid arthritis (Multz et al.), 310
Plasma concentrations of diazepam and of its metabolite N-desmethyldiazepam in relation to anxiolytic effect (Dasberg et al.), 473
of diphenylhydantoin and phenobarbital, human brain, cerebrospinal fluid, and (Vajda et al.), 597
disappearance of transplacentally transferred diphenylhydantoin in newborn studied by mass fragmentography (Rane et al.), 39
half-life of phenylbutazone in patients with impaired liver function (Hvidberg et al.), 171
human brain, and cerebrospinal fluid concentrations of diphenylhydantoin and phenobarbital (Vajda et al.), 597
from hypertensive patients, effects of, on responses to angiotensin and norepinephrine in dogs and rats (Greenberg et al.), 337

Plasma—Cont'd
level(s) of digoxin, correlation of, in cardiac patients with dose and measures of renal function (Wagner et al.), 291
response, nonlinear, to high doses of naproxen (Runkel et al.), 261
protein binding of diphenylhydantoin (Hooper et al.), 276
and saliva, heroin in; validity of screening methods for drugs of abuse in biological fluids (Gorodetzky and Kullberg), 579
of man, relationship between theophylline concentration in (Koysooko et al.), 454
Platelet aggregation in hyperadhesive states (Bicher and Kuperminc), 604
blood, of gastrointestinal bleeders, effects of in vitro aspirin on (Mills et al.), 187
Porphyria, acute intermittent, salicylamide metabolism in (Song et al.), 431
Potassium excretion, comparative study of effects of metolazone and other diuretics on (Puschett and Rastegar), 397
Practolol, blood levels of, after oral and parenteral administration and relationship to exercise heart rate (Carruthers et al.), 497
effect of, on blood pressure and renin release in man (Esler), 484
Propoxyphene and norpropoxyphene, disposition of, in man after single oral dose (Verebely and Inturrisi), 302
Propranolol and behavior of alcohol addicts after acute alcohol ingestion (Mendelson et al.), 571
enhancement of hypoglycemic sweating (Molnar and Read), 490
Protein binding, plasma, of diphenylhydantoin (Hooper et al.), 276
Psychoactive action of delta^{6a,} ^{10a} dimethyl heptyl tetrahydrocannabinol in man (Lemberger et al.), 380
Psychomotor performance, quantitative relationship between blood alcohol concentration and (Evans et al.), 253

R

Rats and dogs, effects of plasma from hypertensive patients on responses to angiotensin and norepinephrine in (Greenberg et al.), 337
Renal action, therapeutic use, and pharmacokinetics of diuretic bumetanide (Davies et al.), 141
Renal—Cont'd
function, correlation of plasma levels of digoxin in cardiac patients with dose and measures of (Wagner et al.), 291
Renin release in man, effect of practolol on blood pressure and (Esler), 484
Rheumatoid arthritis, comparison of intermediate-dose aspirin and placebo in (Multz et al.), 310

S

Salicylamide metabolism in acute intermittent porphyria (Song et al.), 431
Salicyluric (orthohydroxyhippuric) acid—its physiologic and clinical significance (Altschule and Hegedus), 111
Saliva and plasma, heroin in; validity of screening methods for drugs of abuse in biological fluids (Gorodetzky and Kullberg), 579
of man, relationship between theophylline concentration in (Koysooko et al.), 454
Science in human affairs, strategies of (Bross), 543
Screening methods, validity of, for drugs of abuse in biological fluids; heroin in plasma and saliva (Gorodetzky and Kullberg), 579
heroin in urine (Gorodetzky et al.), 461
Serum digoxin concentrations, differences in, between outpatients and inpatients (Sheiner et al.), 239
gold levels during chrysotherapy with relation to urinary and fecal excretion (Harth), 354
levels, relation of, to cardiac arrhythmias in children, kinetics of digoxin absorption and (Larese and Mirkin), 387
lipids, halofenate, and exercise performance in coronary heart disease (Aronow et al.), 67
Sleep profile, electroencephalographic, effects of mebutamate on (Whitsett et al.), 51
Sweating, hypoglycemic, propranolol enhancement of (Molnar and Read), 490

T

Tetracyclines, place of, in antimicrobial therapy, twenty-fifth anniversary of discovery of Aureomycin (Finland), 3

Tetrahydrocannabinol, delta-9-, interactions in man of, alphamethylparatyrosine (Hollister), 18

Theophylline concentration in plasma and saliva of man, relationship between (Koysooko et al.), 454

U

Urinary and fecal excretion, serum gold levels during chrysotherapy with relation to (Harth), 354

Urine, heroin in, validity of screening methods for drugs of abuse in biological fluids (Gorodetzky et al.), 461

W

Warfarin, in man, pharmacokinetics and pharmacodynamics of enantiomers of (Breckenridge et al.), 424

Z

Zinc sulfate in geriatric patients, safety and efficacy of (Czerwinski et al.), 436